Warm Up

11/13

Write each number in correct Scientific Notation form:

 $30,120, 3.0120 \times 164$ $5.4, 5.4 \times 100$ $0.00362, 3.62 \times 10^{-3}$ 505×10^{3} 505×10^{3} 505×10^{3} 505×10^{3}


Conferencing About Tests

I am happy to meet with anyone, or a group of friends, to go over your tests.

Before coming to see me you must go over the questions you got incorrect, using classwork/notes, to figure out your error(s).

We can then work on relearning a concept and discuss new strategies.

Problem 1.1 Recap



How can we come up with an equation?

Let's see what is happening to the value of *y* as *x* increases by 1.

X			
Number of Cuts	Number of Ballots	Calculation	
(1)	2	2 = 2	
2	4 *2	2·2 = 2 ²	
3	8	-2-2-2 2 ³	
(4)	16	$2,2,2,2$ = $2^{\textcircled{0}}$	
5	32 222	2.2.2.2.2 = 25	
6	64 > 2		
7	128 782		
8	256		
9	512		
10	1,024		

Whenever you write a new equation, always check 2 points to make sure it works.

Homework Questions?

Page 14, #'s 1

 Cut a sheet of paper into thirds. Stack the three pieces and cut the stack into thirds. Stack all of the pieces and cut the stack into thirds again.

- a. Copy and complete this table to show the number of ballots after repeating this process five times.
- **b.** Suppose you continued this process. How many ballots would you have after 10 cuts? How many would you have after *n* cuts?
- c. How many cuts would it take to make at least one million ballots?


Cutting Ballots

-		
Cutting Processes	Number of Ballots	
1	3 x 3	
2	9	
3	27	
4	6 1 * 3	
5	10	
10	59,049	
	× 0 · · · · 1	
12	531,441	
	EAL 277	
3	,594,323	
•		


1.2 Requesting a Reward Representing Exponential Functions

When you found the number of ballots after 10, 20, and 40 cuts, you may have multiplied long strings of 2s. Instead of writing long product strings of the same factor, you can use **exponential form**, such as 2^5 . You can write $2 \times 2 \times 2 \times 2 \times 2$ as 2^5 , which is read "2 to the fifth power."


In the expression 2^5 , 5 is the **exponent** and 2 is the **base**. When you evaluate 2^5 , you get $2^5 = 2 \times 2 \times 2 \times 2 \times 2 = 32$. Since there are two ways to write 2^5 , we call 32 the **standard form** and $2 \times 2 \times 2 \times 2 \times 2$ the **expanded form** of 2^5 .



How do we use our calculators to calculate numbers raised to powers?



Stella used her calculator in Problem 1.1 to compute the number of ballots after 40 cuts. Calculators use shorthand for displaying very large numbers.



The number $1.099511628 \times 10^{12}$ is written in scientific notation. This notation can be expanded as follows:

 $\begin{array}{l} 1.099511628 \times 10^{12} = 1.099511628 \times 1,000,000,000,000\\ = 1,099,511,628,000 \end{array}$

The number 1,099,511,628,000 is the standard form for the number $1.099511628 \times 10^{12}$ written in scientific notation.

The calculator above has approximated 2⁴⁰ as accurately as it can with the number of digits it can store. A number written in scientific notation must be in the form:

(a number greater than or equal to 1 but less than 10) \times (a power of 10)

One day in the ancient kingdom of Montarek, a peasant saved the life of the king's daughter. The king was so grateful he told the peasant she could have any reward she desired. The peasant, the kingdom's chess champion, made an unusual request:


Plan 1—The Peasant's Plan

"I would like you to place 1 ruba on the first square of my chessboard, 2 rubas on the second square, 4 on the third square, 8 on the fourth square, and so on. Continue this pattern until you have covered all 64 squares. Each square should have twice as many rubas as the previous square."



The king replied, "Rubas are the least valuable coin in the kingdom. Surely you can think of a better reward." But the peasant insisted, so the king agreed to her request.

· Did the peasant make a wise choice? Explain.



Homework

Finish classwork