

What is the easiest way to solve this system?

(This is #5 from your homework.)

$$3x + 4y = 26$$

$$-2x + y = 1 \rightarrow \text{change to:}$$

$$y = 2x + 1$$

$$3x + 4(2x + 1) = 26$$

$$3x + 8x + 4 = 26$$

$$11x + 4 = 26$$

$$\quad -4 \quad -4$$

$$\frac{11x}{11} = \frac{22}{11}$$

$$x = 2$$

No 'y's' in the equation!

$$3x + 4y = 26$$

$$3(2) + 4y = 26$$

$$6 + 4y = 26$$

$$\quad -6 \quad -6$$

$$\frac{4y}{4} = \frac{20}{4}$$

$$y = 5$$

$$(2, 5)$$

$$-2x + y = 1$$

$$-2(2) + y = 1$$

$$-4 + y = 1$$

$$\quad +4 \quad +4$$

$$y = 5$$

It doesn't matter which equation you use to find y. Just make sure you use one of the original ones.

Homework Questions?

Solve.

$$\begin{array}{l} 1. \ y = 3 - 2x \\ \quad y = 2 - 3x \end{array} \quad (-1, 5)$$

$$\begin{array}{l} 2. \ x + y = 5 \\ \quad x = y + 7 \end{array} \quad (6, -1)$$

$$\begin{array}{l} 3. \ x - y = 1 \\ \quad 2x + y = 8 \end{array} \quad (3, 2)$$

$$\begin{array}{l} 4. \ 3x - y = 9 \\ \quad y = x + 5 \end{array} \quad (7, 12)$$

$$\begin{array}{l} 5. \ 3x + 4y = 26 \\ \quad -2x + y = 1 \end{array} \quad (2, 5)$$

$$\begin{array}{l} 6. \ y = 2x + 3 \\ \quad y = 4x + 4 \end{array} \quad (-\frac{1}{2}, 2)$$

$$\begin{array}{l} 7. \ 2x + 7y = 8 \\ \quad x + 5y = 7 \end{array} \quad (-3, 2)$$

$$\begin{array}{l} 8. \ y = 4x + 4 \\ \quad y = 2x + 8 \end{array} \quad (2, 12)$$

$$\begin{array}{l} 9. \ x + 3y = 17 \\ \quad 2x + 3y = 22 \end{array} \quad (5, 4)$$

$$\begin{array}{l} 10. \ 4x - 7y = 9 \\ \quad y = x - 3 \end{array} \quad (4, 1)$$

$$\begin{array}{l} 11. \ 8x - 5y = 9 \\ \quad y = 2x - 4 \end{array} \quad (\frac{11}{2}, 7)$$

$$\begin{array}{l} 12. \ 2x + 4y = -2 \\ \quad 3x + y = 7 \end{array} \quad (3, -2)$$

$$\begin{array}{l} 13. \ 3x + y = 5 \\ \quad 2x + 3y = 8 \end{array} \quad (1, 2)$$

$$\begin{array}{l} 14. \ 2x + 6y = 24 \\ \quad x - 4y = -2 \end{array} \quad (6, 2)$$

Substitution

- Find which equation has a coefficient of 1 or -1 for either x or y .
- Isolate that variable using properties of equality.
- Substitute the expression that is equal to either the x or y you isolated into the other equation and solve.

7. $2x + 7y = 8$
 $x + 5y = 7$
 $\quad \quad \quad -5y \quad -5y$
 $\quad \quad \quad \quad \quad x = 7 - 5y$

9. $x + 3y = 17$
 $2x + 3y = 22$

11. $8x - 5y = 9$
 $y = 2x - 4$
 $8x - 5(2x - 4) = 9$
 $8x - 10x + 20 = 9$

13. $3x + y = 5$
 $2x + 3y = 8$
 $\quad \quad \quad -3x \quad -3x$
 $\quad \quad \quad \quad \quad y = 5 - 3x$

8. $y = 4x + 4$
 $y = 2x + 8$
 $4x + 4 = 2x + 8$

10. $4x - 7y = 9$
 $y = x - 3$

12. $2x + 4y = -2$
 $3x + y = 7$
 $\quad \quad \quad -3x \quad -3x$
 $\quad \quad \quad \quad \quad y = 7 - 3x$

14. $2x + 6y = 24$
 $x - 4y = -2$
 $\quad \quad \quad +4y \quad +4y$
 $\quad \quad \quad \quad \quad x = 4y - 2$

Classwork

Kuta Software - Infinite Algebra 1

Name _____

Solving Systems of Equations by Substitution

Date _____ Period _____

Solve each system by substitution.

1) $x + 3y = 1$
 $-3x - 3y = -15$

2) $-3x - 8y = 20$
 $-5x + y = 19$

3) $-3x + 3y = 4$
 $-x + y = 3$

4) $-3x + 3y = 3$
 $-5x + y = 13$

5) $6x + 6y = -6$
 $5x + y = -13$

6) $2x + y = 20$
 $6x - 5y = 12$

7) $-3x - 4y = 2$
 $3x + 3y = -3$

8) $-2x + 6y = 6$
 $-7x + 8y = -5$

Write the equations and solve. Define the variables

9) My neighbor has both chickens and roosters. He has a total of 31 birds. The number of chickens is ten more than twice the number of roosters. How many chickens does he have?

10) Alfred is four years older than Tina. Together they are 36 years old. How old is Alfred?

11) Jonas has three more nickels than dimes. He has 41 coins in all. How many are dimes?

12) The number of nails in the bucket is 50 less than twice the number of screws. Together, there are 400 nails and screws in the bucket. How many of each are there?

13) Pippi sold ten more cups of lemonade than cups of iced tea. She sold 120 cups in all. How many cups of lemonade did she sell?

Two Options

#1

Complete front
side of sheet

#2

Complete 16-18 on
front
+
word problems
on back

Homework

Finish Classwork